

The background of the page is a close-up photograph of a traffic signal lens. The lens is circular and contains several rows of green LED lights. The lights are arranged in a pattern that suggests a signal is currently showing green. The background is dark, making the green lights stand out. There are some grey and white squares overlaid on the left side of the image, possibly representing a design or a grid.

Traffic signal design

Appendix A – Design plan checklist

The traffic signal design guidelines have been developed to assist in designing traffic control signals.

The guidelines are to comprise 16 sections and 5 appendices. These are initially being released individually and in no specific order. The sections which are to be released are as follows:

Part	Title
Section 1	Investigation
Section 2	Warrants
Section 3	Design Process
Section 4	Plan Requirements
Section 5	Geometry
Section 6	Pavement Marking
Section 7	Phasing and Signal Group Display Sequence
Section 8	Lanterns
Section 9	Posts
Section 10	Signs
Section 11	Detectors
Section 12	Controller
Section 13	Provision for Future Facilities
Section 14	Signalised Mid-block Marked Footcrossings
Section 15	Special Situations
Section 16	References
Section 17	Alignment signs and markers
Appendix A	Design Plan Checklist
Appendix B	Traffic Signal Symbols
Appendix C	Location and Function of Lanterns
Appendix D	Location and Dimensions of Components
Appendix E	Left Turn on Red

To determine which sections are currently available go to:

www.rta.nsw.gov.au/doingbusinesswithus/downloads/technicalmanuals/trafficsignaldesign_d11.html

The information contained in the various parts is intended to be used as a guide to good practice. Discretion and judgement should be exercised in the light of the many factors that may influence the design of traffic signals at any particular site. The guidelines make reference, where relevant, to current Australian Standards and are intended to supplement and otherwise assist in their interpretation and application.

Traffic Signal Design

APPENDIX A

DESIGN PLAN CHECKLIST





Roads and Traffic Authority

www.nsw.rta.gov.au

VERSION: 1.0
ISSUED: February 2008

APPROVED BY:

SIGNED

Craig Moran
A/General Manager
Traffic Management

SIGNED

Steve Levett
A/General Manager
Safer Roads

AUTHORISED FOR USE BY:

SIGNED

Michael Bushby
Director
Network Management

© 2008 Roads and Traffic Authority NSW

Extracts from these guidelines may be reproduced providing the subject is kept in context and the source is acknowledged.

Every effort has been made to supply complete and accurate information. However RTA, NSW assumes no responsibility for its use.

All trade name references herein are either trademarks or registered trademarks of their respective companies.

For policy and technical enquiries regarding these guidelines please contact:

Traffic Management Branch
Email: technical_directions_publication@rta.nsw.gov.au
Phone: (02) 9218 6287
Fax: (02) 9218 6693

To access electronic copies of these and other guidelines go to:

www.rta.nsw.gov.au/doingbusinesswithus/downloads/technicalmanuals/technicalmanuals_dl1.html

For the latest amendments (if any) to these guidelines go to:

www.rta.nsw.gov.au/doingbusinesswithus/downloads/technicalmanuals/trafficsignaldesign_dl1.html

ISBN 978-1-921242-95-3 (Electronic only)
RTA/Pub. 08.092



Contents

DESIGN PLAN CHECKLIST..... A-I



Amendment record

Please note that the following updates have been made to this document.

Version Number	Page	Description	Issued
----------------	------	-------------	--------



DESIGN PLAN CHECKLIST

Evaluation

- Warrants
- Flows
- Delays
- Queue lengths
- Accidents
- Pedestrians
- Future development
- Political
- Alternatives (roundabout, signs, channelisation)

Phasing

- Recent traffic count
- Accident correction
- Pedestrian needs
- Conflicts
- Left turn on red
- Future implications (other sites)
- Suits controller
- Bus needs
- Bicycle needs

Turn bans

- Alternative routes
- Effect on other locations
- Bus route
- Effect on other users (pedestrians/bicycles)

Simulation

- Phase/cycle times
- Delays
- Queue lengths
- Blockages
- Capacity

Title block

- Registration No.
- Sheet No.
- Issue No.
- Superseded plan or sheet No.
- Amendment details (for job instruction)
- File No.
- LGA, Shire, municipality or city
- Main Road No. and street names
- Suburb
- Region or Division
- UBD reference
- Reference plans

Job Instruction details

- Issue No.
- Job Instruction No.
- Amendment details
- Date
- Initials

Base plan

- Kerb lines and/or edge of pavement
- Gutter crossings
- Stormwater grates and inlets
- Property boundaries, fences
- Footpaths
- Poles, pillars, pits, public utilities
- Bus stops, shelters, seats, telephone booths, gardens, garbage bins
- Awnings
- Overhead wires
- Tree trunks and spread of foliage
- North point
- Main Road Nos. and street names
- Approach grades
- "To" and "From"
- Date in Service
- Compare road construction plan
- Compare old traffic signal plan
- Transparency for cable installation and duct plan

Locality sketch

- Orientation
- North point
- Other sites
- ISG coordinates

Movement diagrams

- Movements
- Approach numbers
- Phase labels
- Future phasing
- Normal and alternative sequence

Medians

- Alignment
- Length
- Width at post
- Nose radius
- Widths for pedestrian/bicycle movements
- Width for pedestrian/bicycle storage
- Minimum length of nose

- Turning paths (clearance width for opposed turns)
- Setting out dimensions

Islands

- Turning paths
- Offsets
- Clearance for posts
- Pedestrian/bicycle storage and passage
- Barrier kerb (type 6 post or mast arm)
- Setting out dimensions

Marked foot crossings

- Warrants (flows, schools, shops)
- Clearance from vehicular conflict
- Width (flows, platoons)
- Length (two-stage - corner island or mid-block staggered)
- Angle
- Pedestrian crossings (zebra)
- Setting out dimensions

Stop lines

- Distance apart (clearance times)
- Clearance from marked foot crossing
- Clearance from vehicular conflict
- Distance to starter lantern
- Angle
- Setting out dimensions
- Bicycle storage area

Pavement marking

- Lane lines (approach, departure, width, length)
- Barrier lines
- Continuity lines
- Edge lines
- Turn lines
- Painted islands and medians
- Chevrons
- Arrows
- Bicycle pavement markings

Lanterns

- Number per approach
- Obstructions (trees, poles)
- Sight distance (curve, crest)
- Size
- Phase label or signal group number
- Identification of signal groups for lamp monitoring

- Visors (type, length, cut-off angle, trains)
- Louvres (horizontal or vertical)
- Special mounting height
- Special mounting straps or brackets
- Pedestrian lanterns
- Bus lanterns
- Bicycle lanterns
- Tram lanterns
- Special signal group display sequence table or signal group/phase chart or sequence table

Posts

- Position (stop line, marked foot crossing, clearance from kerb)
- Height (awning, overhead wires)
- Numbering
- Type (need for mast arm or type 6)
- Special footing
- Post chart (reconstruction)
- Concurrence for joint use of poles
- Setting out dimensions

Signs

- No right turn
- No left turn
- No U-Turn
- No entry
- One-way streets
- Left turn on red
- Turn left at any time with care
- Give way to pedestrians
- Turn bans
- Special stop signs
- Stop here on red signal
- Scramble crossing
- Signs on type 6 posts and mast arms

Vehicle detectors

- Type (stop line, queue, advance, violation, special counting, microwave)
- Phase label
- Lane label
- Numbering
- Orientation
- Width
- Distance from stop line
- Detector Specification Schedule
- Logic special notes

Pedestrian push-button detectors

- Orientation
- Audio-tactile (one per post)
- Phase label
- Numbering

Controller

- Supply
- Type (ground-mounted or post-mounted)
- View of approaches
- Access for maintenance
- Safe from accidents
- Noise (residential)
- Above flood level
- Telecom access for SCATS
- Clear of future roadworks
- Clear of high voltage earthed situations
- Not obstructing road reserve

Special facilities

- Emergency service (fire/ambulance) facilities
- Railway level crossing
- Bicycles/cycleways
- Buses
- Transitways
- Trams

Notes

- Reference to road construction plans
- Reference to other sheets
- Adjustment to kerbs, medians, islands
- Pavement improvement or resheeting
- Construction of kerb ramps
- Special post details
- Special lantern details
- Asterisk for lamp monitoring
- Location of audio-tactile push buttons
- Location of special stop signs
- Coordination details
- Arterial
- Provision for future facilities

For further enquiries

www.rta.nsw.gov.au

13 22 13

Roads and Traffic Authority

March 2008

RTA/Pub. 08.092